

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	79	(Francois near2 Moore).in. or (Kenneth near2 Morris).in.	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TD B	OR	ON	2008/02/01 23:52
L3	1	"6717953".pn.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L4	1	"6707789".pn.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L5	1	"6671271".pn.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L6	1	"6470018".pn.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L7	1	"6137800".pn.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L8	1	"5848065".pn.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L9	1	"5412652".pn.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L10	348606 2	(default or factory or hardware or initial\$3 or manufactur\$3)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52

## EAST Search History

L11	397286 6	(custom or "user defined" "user-defined" modif\$4 or updat\$3 alter\$3 chang\$3)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L12	427883 6	(file or configur\$5 or set\$4 or parameter)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L13	348606 2	(default or factory or hardware or initial\$3 or manufactur\$3)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L14	397286 6	(custom or "user defined" "user-defined" modif\$4 or updat\$3 alter\$3 chang\$3)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L15	348606 2	(default or factory or hardware or initial\$3 or manufactur\$3)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L16	397286 6	(custom or "user defined" "user-defined" modif\$4 or updat\$3 alter\$3 chang\$3)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L17	19961	(default or original) near4 (file)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L18	18451	(custom\$ or modified) near3 file	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L19	1324	L17 same L18	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L20	18120	(compar\$ or synchroniz\$) near4 file	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L21	97	L19 same L20	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L22	158829	(provid\$ or generat\$) near4 servic\$4	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L23	0	L21 same L22	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52

## EAST Search History

L24	2	L21 same service	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L25	16	L21 same (parameter or variable or value)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L26	1	L25 same service	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L27	60994	"709"/\$.ccls.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L28	3	L27 and L25	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L29	13	L27 and L21	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L30	11049	"709"/220-223,251.ccls.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L31	3	L30 and L21	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L32	2724	L30 and "122"	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L33	1	L30 and L25	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L34	1964	((standard or original or default) same ((custom or user-defined or "user defined" or modified or alter\$3 or chang\$3) near2 file)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L35	36	L34 same (prov\$5 or generat\$3) same service	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52

## EAST Search History

L36	36	L35 and (node or computer or device or element)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L37	1	L36 and (overrid\$3 adj default adj parameter)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L38	1	L36 and (overrid\$3) same (parameter)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L39	4	L36 and (overrid\$3)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L40	5848	(default or original or factory or manufacture or hardware) adj file	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L41	165	L40 same ((custom or user-defined or modified) adj file)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L42	0	L41 and ((software or hardware) adj (coded or cod\$3))	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L43	0	L41 and (software adj coded)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L44	36	L41 and (provid\$3 or generat\$3) same service same (element or computer or node or device or component)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L45	0	L44 and (element adj management adj system)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L46	949	(element adj management adj system)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L47	21	L34 and L46	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52

## EAST Search History

L48	1	L36 and L47	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L49	1	"5771381".pn.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L50	3	(generat\$3 or provid\$3) same ((custom or default) or standard) adj file) same network adj element	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L51	975	(generat\$3 or provid\$3) same (custom or default) same standard same file	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L52	0	L51 same (network adj element same telecommunication adj servcice)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L53	12	L51 same (network adj element)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L54	10	L53 same service	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L55	0	(configuration adj file) same (default adj file) same (standard adj file)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L56	176	(determin\$4 or establish\$3) same service same based same (configuration adj file)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L57	0	L56 same ((custom or standard) adj file)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L58	4	L56 and ((custom or standard) adj file)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L59	1	"7003525".pn. and router	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52

## EAST Search History

L60	1	"6560699".pn.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L61	15	(custom or customiz\$ or specific\$) near5 (default or general) near4 (standard or config\$) adj file	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L62	0	L60 same router	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L63	141	(chang\$4 or alter\$4 or modif\$5) same configuration adj file same router	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L64	0	L63 and L61	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L65	0	L63 same (default or custom or standard or customiz\$ or general) adj file	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L66	15	L63 same (default or custom or standard or customiz\$ or general)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L67	4	L66 and threshold	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L68	4	L67 and parameter	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L69	42	(modif\$5 or chang\$3) same parameter same configuration same file same router	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L70	0	(generat\$3) same ((Custom or Default) adj file ) same configuration same router	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52

## EAST Search History

L71	1029	(generat\$3) near5 (custom or customiz\$ or default or configuration) adj file	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L72	8	L71 same router adj configuration adj file	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L73	0	"6715075".pn. and default	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L74	1	"6715075".pn. and custom	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L75	0	"6715075".pn. and modif	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L76	0	"6715075".pn. and chang	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L77	0	"6715075".pn. and edit	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L78	1	"6167280".pn.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L79	9	(establish\$3 or provision\$3) same (telecommunication adj service) same (based with parameters)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L80	1783	(establish\$3 or provision\$3) same (telecommunication adj service)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L81	22	L80 same (default or generic) same (configur\$5 or custom) same file	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L82	22	L81 and parameter	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52

## EAST Search History

L83	142	(establish\$3 or generat\$3) same (telecommunication adj service) same parameters	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L84	29	L83 same (default or generic or custom)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L85	0	L83 same (default or generic or custom).ab.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L86	13	(establish\$3 or generat\$3) same (telecommunication adj service) same parameters.ab.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L87	79	(Francois near2 Moore).in. or (Kenneth near2 Morris).in.	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TD B	OR	ON	2008/02/01 23:52
L88	1	"6707789".pn.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L89	1	"6137800".pn.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L90	1	"6470018".pn.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L91	1	"6717953".pn.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L92	1	"5848065".pn.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52

## EAST Search History

L93	1	"6671271".pn.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L94	1	"5412652".pn.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L95	19961	(default or original) near4 (file)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L96	18451	(custom\$ or modified) near3 file	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L97	1324	L95 same L96	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L98	18120	(compar\$ or synchroniz\$) near4 file	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L99	97	L97 same L98	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L100	16	L99 same (parameter or variable or value)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L101	1	L100 same service	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L102	2	L99 same service	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L103	60994	"709"/\$.ccls.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L104	11049	"709"/220-223,251.ccls.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L105	3	L104 and L99	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52

## EAST Search History

L10 6	3	L103 and L100	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L10 7	13	L103 and L99	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L10 8	2724	L104 and "122"	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L10 9	1	L104 and L100	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L11 0	1964	((standard or original or default) same ((custom or user-defined or "user defined" or modified or alter\$3 or chang\$3) near2 file)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L11 1	949	(element adj management adj system)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L11 2	21	L110 and L111	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L11 3	5848	(default or original or factory or manufacture or hardware) adj file	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L11 4	165	L113 same ((custom or user-defined or modified) adj file)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L11 5	36	L114 and (provid\$3 or generat\$3) same service same (element or computer or node or device or component)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L11 6	0	L115 and (element adj management adj system)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52

## EAST Search History

L11 7	36	L110 same (prov\$5 or generat\$3) same service	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L11 8	0	L114 and (software adj coded)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L11 9	36	L117 and (node or computer or device or element)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L12 0	1	L119 and (overrid\$3 adj default adj parameter)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L12 1	1	L119 and L112	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L12 2	1	"5771381".pn.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L12 3	0	L114 and ((software or hardware) adj (coded or cod\$3))	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L12 4	1	L119 and (overrid\$3) same (parameter)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L12 5	4	L119 and (overrid\$3)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L12 6	975	(generat\$3 or provid\$3) same (custom or default) same standard same file	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L12 7	0	L126 same (network adj element same telecommunication adj service)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L12 8	3	(generat\$3 or provid\$3) same ((custom or default or standard) adj file) same network adj element	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52

## EAST Search History

L12 9	12	L126 same (network adj element)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L13 0	10	L129 same service	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L13 1	0	(configuration adj file) same (default adj file) same (standard adj file)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L13 2	176	(determin\$4 or establish\$3) same service same based same (configuration adj file)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L13 3	0	L132 same ((custom or standard) adj file)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L13 4	4	L132 and ((custom or standard) adj file)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L13 5	0	"6715075".pn. and chang	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L13 6	1	"6560699".pn.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L13 7	0	L136 same router	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L13 8	1	"7003525".pn. and router	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L13 9	1029	(generat\$3) near5 (custom or customiz\$ or default or configuration) adj file	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L14 0	8	L139 same router adj configuration adj file	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52

## EAST Search History

L14 1	15	(custom or customiz\$ or specific\$) near5 (default or general) near4 (standard or config\$) adj file	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L14 2	141	(chang\$4 or alter\$4 or modif\$5) same configuration adj file same router	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L14 3	0	L142 same (default or custom or standard or customiz\$ or general) adj file	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L14 4	0	L142 and L141	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L14 5	15	L142 same (default or custom or standard or customiz\$ or general)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L14 6	4	L145 and threshold	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L14 7	4	L146 and parameter	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L14 8	0	"6715075".pn. and edit	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L14 9	42	(modif\$5 or chang\$3) same parameter same configuration same file same router	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L15 0	0	"6715075".pn. and modif	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L15 1	0	(generat\$3) same ((Custom or Default) adj file ) same configuration same router	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52

## EAST Search History

L15 2	0	"6715075".pn. and default	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L15 3	1	"6715075".pn. and custom	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L15 4	9	(establish\$3 or provision\$3) same (telecommunication adj service) same (based with parameters)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L15 5	1783	(establish\$3 or provision\$3) same (telecommunication adj service)	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L15 6	22	L155 same (default or generic) same (configur\$5 or custom) same file	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L15 7	22	L156 and parameter	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52
L15 8	1	"6167280".pn.	US-PGPU B; USPAT	OR	ON	2008/02/01 23:52